


## General Description

KR Electronics part number 3428-0239+ is a 150 MHz Bandpass filter. The filter has a minimum 3 dB bandwidth of 20 MHz. Other center frequencies and bandwidths are available. Please consult the factory.



## Features

- 150 MHz Bandpass Filter
- Selective Elliptic Type Filter
- 3 dB Bandwidth: 20 MHz min
- 45 dB Bandwidth: 35 MHz max
- 50  $\Omega$  Source and Load
- Surface Mount
- Available with SMA Connectors

## Typical Performance



# KR Electronics 3428-0239+



KR Electronics, Inc.  
91 Avenel Street  
Avenel, NJ 07001


Web [www.krfilters.com](http://www.krfilters.com)  
Email [sales@krfilters.com](mailto:sales@krfilters.com)  
Phone (732) 636-1900

# KR Electronics 3428-0239+

## Specifications

Parameter	Specification	Notes
Filter type	Bandpass	
Center Frequency	150 MHz	
Insertion Loss at Fc	3.2 dBa max	2.5 dBa typical
1 dBc Bandwidth	16.8 MHz typical	
3 dBc Bandwidth	20 MHz min	22 MHz typical
20 dBc Bandwidth	28.6 MHz typical	
45 dBc Bandwidth	35 MHz max	34 MHz typical
Source and Load	50 Ω	

## Physical Dimensions



**Notes:**

1. Surface mount package
2. Dimensions in inches
3. Max reflow temperature 230° C for 10 sec
4. If boards are cleaned after installation units must be completely dried

KR Electronics, Inc.  
 91 Avenel Street  
 Avenel, NJ 07001

Web [www.krfilters.com](http://www.krfilters.com)  
 Email [sales@krfilters.com](mailto:sales@krfilters.com)  
 Phone (732) 636-1900  
 Fax (732) 636-1982